



Feeding Suggestions



Plant Phase	ML/Gallon	Dilution Rate	Foliar Application
General Indoor/Outdoor Gardening	ML/Gallon	Dilution Rate	ML/Gallon
Vegetative	4	1000:1	4
Bloom	2	2000:1	2



Plant Phase	ML/Gallon	Dilution Rate	Foliar Application
Container & Hydroponic Gardening	ML/Gallon	Dilution Rate	ML/Gallon
Germination, Seedlings, Cuttings	2	2000:1	
Early Vegetative	6 - 4	650:1 to 1000:1	4
Late Vegetative	5 - 4	750:1 to 1000:1	4
Transition	4	1000:1	4
Early Bloom			
Mid Bloom	2 - 4	2000:1 to 1000:1	2
Late Bloom	2 - 4	2000:1 to 1000:1	2
Outdoor Gardens & Fast Blooming Annuals			
Vegetative	8 - 4	500:1 to 1000:1	4
Bloom	8 - 2	500:1 to 2000:1	4
Late Bloom	8 - 2	500:1 to 2000:1	4
Additional/General Use			
General Use Including Cutting Production	4	1000:1	4



- 1) Start by Reducing NPK Fertilizers and NPK-based Nutrient Additives by ~ 50% when first feeding Full On to the roots. All feeding suggestions are based on reduced NPK levels. Adjust NPK/Nutrient levels up or down to find the "Sweet Spot" for plants.
- 2) Full On will significantly increase and accelerate the uptake and utilization of all available plant nutrients and additives. For use in soil, soilless media, coco, hydroponics, aeroponics, NFT, DWC etc.
- 3) Apply Full On once or twice per week, or as often as needed to maintain intense growth and production throughout the entire growth cycle.
- 4) Full On will greatly enhance Nitrogen availability and uptake. When using Full On in the Bloom phase, reduce total Nitrogen levels to maximize quality and yield.
- 5) First dilute Full On in H2O before adding to large reservoirs and in commercial irrigation systems. In all recirculating systems check for (1) proper filtration and (2) compatibility with other NPK's/nutrients.
- 6) Discontinue foliar applications one week before harvest.
 - 1 Teaspoon = 5 ml, 1 Tablespoon = 15 ml
 - Keep out of the reach of children and pets.